



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## DEATHS DURING WEEK ENDED MAY 31, 1919, IN CITIES.

The table following shows the registered deaths from all causes and from pneumonia (all forms) and influenza combined in certain large cities of the United States during the week ended May 31, 1919.

The data are taken from the "Weekly Health Index," June 3, 1919, issued by the Bureau of the Census, Department of Commerce.

*Registered deaths and annual death rates per 1,000 population in certain large cities of the United States, week ended May 31, 1919—Deaths from all causes, and from pneumonia (all forms) and influenza combined.*

City.	Population July 1, 1918, estimated.	Total deaths, all causes.	Annual death rate per 1,000.	Annual death rate for preceding years. <sup>1</sup>	Influenza and pneu- monia (all forms).	
					Number of deaths.	Annual death rate per 1,000.
Albany, N. Y.	112,565	28	13.0	C. 17.6	2	0.9
Atlanta, Ga.	201,732	56	14.5	C. 18.4		
Baltimore, Md.	<sup>2</sup> 669,981	176	13.7	A. 16.5		
Birmingham, Ala.	197,670	56	14.8	A. 18.9		
Boston, Mass.	785,245	203	13.5	A. 17.6	21	1.4
Buffalo, N. Y.	473,229	136	15.0	C. 13.2		
Cambridge, Mass.	111,432	33	15.4	A. 12.9		
Chicago, Ill.	2,596,681	597	12.0	A. 14.2	55	1.1
Cincinnati, Ohio	418,022	99	12.3	C. 17.0		
Cleveland, Ohio.	810,306	141	9.1	C. 10.9	10	.6
Columbus, Ohio	225,296	57	13.2	C. 12.5	6	1.4
Dayton, Ohio.	130,655	32	12.8	C. 7.6	0	
Denver, Colo.		68				
Fall River, Mass.	123,392	27	11.0	C. 9.7		
Grand Rapids, Mich.	135,450	25	9.6	C. 11.5		
Indianapolis, Ind.	290,389	60	10.8	C. 18.0		
Jersey City, N. J.	318,770	63	10.3	C. 9.7		
Kansas City, Mo.	313,785	79	13.1	C. 14.6	9	1.5
Los Angeles, Calif.	568,495	117	10.7	A. 12.0	4	.4
Louisville, Ky.	242,707	58	12.5	C. 19.1	7	1.5
Lowell, Mass.	109,081	26	12.4	A. 18.5		
Memphis, Tenn.	154,759	67	22.6	C. 18.2	8	2.7
Milwaukee, Wis.	453,481	79	9.1	A. 12.2	9	1.0
Minneapolis, Minn.	383,442	92	12.5	C. 9.7		
Nashville, Tenn.	119,215	43	18.8	C. 19.7	4	1.7
Newark, N. J.	428,684	87	10.6	C. 13.9		
New Haven, Conn.	154,865	32	10.8	C. 14.1		
New Orleans, La.	382,273	125	17.1	A. 20.9		
New York, N. Y.	5,215,879	1,312	13.1	C. 11.8	155	1.5
Oakland, Calif.	214,206	24	5.8	A. 9.8		
Omaha, Nebr.	180,264	38	11.0	C. 10.4		
Philadelphia, Pa.	1,761,371	480	14.2	<sup>3</sup> 14.4		
Pittsburgh, Pa.	593,303	150	13.2	C. 14.8	26	2.3
Portland, Oreg.		56			5	
Providence, R. I.	263,613	61	12.1	C. 14.4	7	1.4
Richmond, Va.	160,719	39	12.7	C. 18.5	7	2.3
Rochester, N. Y.	264,856	76	15.0	C. 14.0	10	2.0
St. Louis, Mo.	779,951	174	11.6	C. 13.8	17	1.1
St. Paul, Minn.	257,699	55	11.1	C. 10.1		
San Francisco, Calif.	478,530	132	14.4	C. 15.0	19	2.1
Syracuse, N. Y.	161,404	53	17.1	C. 13.9	4	1.3
Toledo, Ohio.	262,234	60	11.9	A. 14.1	34	6.8
Washington, D. C.	401,681	119	15.4	A. 14.5	8	1.0
Worcester, Mass.	173,650	30	9.0	C. 12.9		

<sup>1</sup> "A" indicates that the rate given is the average annual death rate per 1,000 population for the corresponding week, of the years 1913 to 1917, inclusive. "C" indicates that the rate is the annual death rate per 1,000 population for the corresponding week of 1918.

<sup>2</sup> Population estimated as of July 1, 1919.

<sup>3</sup> Rate is based on statistics of 1915, 1916, and 1917.